Subject Index

AC conductivity 588
AC susceptibility 28, 116, 119, 126, 237
Actinides 215
Anisotropy 62, 198, 336, 399
Antiferromagnetic correlations 160, 432
Antiferromagnetism 1, 15, 56, 99, 154, 178, 195, 307, 379

Band structure 529, 611
Borocarbides 56, 62, 66, 69, 72, 76, 79, 83, 86, 90, 93, 96, 99, 102, 105, 109, 112, 116, 119, 123

Canted ferromagnets 201
Carrier number 333
Cationic doping 551
Charge ordering 373
Cluster compounds 588
Correlated electron systems 256, 501, 526, 611
Correlation energy 625
Crystal fields 208, 231, 283, 336, 347, 354, 385, 396, 565
Crystal structure determination 105, 562, 568, 574, 580

d-wave pairing model 478
de Haas–van Alphen effect 141, 181, 333, 379
Devil's staircase 426
Double magnetic transitions 228
Dynamical susceptibility 163

Effective mass 625
Elastic constants 36, 329
Elastic modulus 218
Elastic stiffness 172
Electric field 577
Electrical resistivity 1, 44, 83, 93, 96, 116, 126, 135, 154, 178, 195, 211, 222, 228, 245, 256, 268, 275, 283, 286, 289, 292, 299, 303, 307, 310, 316, 319, 322, 340, 441, 512, 577
Electron correlations 490, 516, 640
Electron glass 588
Electron–phonon interaction 622, 631
Electronic properties 605
Electronic spectrum 598
Electronic state 594
Electronic structure 496, 519
ESR 376, 396

Fermi liquid 447
Fermi surface 141, 181, 379, 529
Ferromagnetism 271, 522
Finite momentum pairing 33
Flux lattice 169
Fractional quantum Hall effect 640
Free electron gas 625
Fulde–Ferrell–Larkin–Ovchinnikov state 22, 28, 172

Gap anisotropy 444
Giant magnetoresistance 245
Grüneisen parameter 15, 429
Gutzwiller approximation 619

Haldane gap 363
Hall constant 501
Hall effect 319, 441, 464, 512, 580
Heat capacity 149, 215, 283, 310, 316, 354, 538
Heavy-fermion magnetism 1, 9, 15, 53, 189, 192, 204, 208, 351
Heavy-fermion superconductivity 1, 15, 28, 33, 36, 40, 44, 47, 50
Heavy-fermion superconductors 22, 28, 40
Heavy fermions 131, 135, 149, 185, 211, 222, 241, 292, 295, 303, 310, 319, 322, 366, 370, 373, 376, 429, 447, 622
High-T_c superconductors 478, 484, 501, 506, 512, 538, 541, 544, 548, 565, 571, 574, 580
Hole dynamics 628
Hole motion 608
Hubbard model 501, 598, 605, 608, 611, 637
Hund's coupling 490
Hybridization 237, 245, 251, 413
Hybridization gap 435
Hybridization insulators 260
Hydrides 399
Hydrogen absorption 76, 399

Induced moment 382
Inelastic neutron scattering 163, 231, 271, 275
Insulator–metal transition 532
Inter-band exchange interaction 426
Intercalation 591
Intermediate valence 131, 260, 262, 268
Intermultiplet transitions 175
Intrinsic parameters 109
Itinerant ferromagnetism 382

Knight shift 344
Kondo behaviour 185, 268, 292
Kondo effect 251, 265, 279, 336, 447
Kondo hole 435
Kondo insulators 241, 260, 262, 275, 402, 409, 421, 435
Kondo lattice 160, 195, 268, 271, 283, 289, 307, 310, 340, 359, 363, 438
Kondo semiconductors 432, 444
Kondo semimetals 413, 426
Kondo state 376
Kondo temperature 471

Localization 577
Localization effects 413, 591
Lower critical field 86

Magnetic anisotropy 225
Magnetic behaviour 265, 316, 347, 382
Magnetic impurities 251, 458
Magnetic instability 160, 218, 329

Magnetic ordering 15, 66, 119, 131, 189, 295, 325, 471, 532, 584
Magnetic phase diagram 1, 109, 178, 192, 204, 208, 234
Magnetic precursor effect 149
Magnetic properties 299, 340, 359, 379, 399
Magnetic structure 204, 225, 234, 237
Magnetic superconductors 56, 66, 83, 99, 102
Magnetic susceptibility 62, 72, 116, 131, 154, 215, 225, 228, 265, 286, 310, 316, 558, 565
Magnetism 62, 69, 72, 116, 154, 347, 354, 392, 558
Magnetization 28, 62, 172, 198, 201, 225, 245, 316, 319, 322, 325, 359
Magnetoelastic interaction 571
Magnetoresistance 102, 141, 149, 178, 181, 195, 237, 268, 275, 279, 289, 313, 532
Magnetostriction 28, 141, 389
Magnetovolume effects 429
Mass renormalization 516
Mesoscopic systems 634
Metal–insulator instability 602
Metal–insulator transition 438, 490, 519, 526, 605
Metamagnetic transition 36, 135, 141, 225, 228, 389, 532
Metamagnetism 185
Metastable magnetic response 198
Mixed valence 241, 336, 366, 370, 402
Mössbauer spectroscopy 72, 211, 218, 558, 584
Multichannel Kondo model 458
Muon spin relaxation 69, 189, 271

Néel order 363
Neutron diffraction 105, 119, 169, 201, 204, 228, 234, 319, 558, 562, 568, 574
Neutron scattering 9, 66, 135, 175, 275, 279, 432
Ni(3d)–Gd(4f) correlation effects 382
NMR 53, 79, 90, 112, 344, 478
Non-Fermi liquids 50, 215, 325, 329, 447, 464, 467, 471, 490, 506
Nonlinear susceptibility 475
NQR 166, 594

Odd-frequency pairing 40
Optical measurements 467
Optical spectroscopy 192
Order parameter 28, 484

Peak effect 28
Periodic Anderson model 619, 622
Perovskites 516, 526, 602
Phase transitions 241, 376
Photoemission 516, 519
Point-contact spectroscopy 192
Polarised ^{3}He 637
Polaronic effects 241
Positron annihilation 544
Positron lifetime 123
Pressure effects 93, 126, 303, 307, 421, 441, 526

Quadrupolar Kondo effect 458, 464, 475
Quadrupolar ordering 385
Quadrupole moment 389
Quantum phase transitions 50
Quasi-two dimensional conductivity 340

Raman scattering 484, 506, 522, 535, 541
Random phase approximation 598
Rare earth intermetallics 56, 99, 286
Reentrant magnetic superconductors 22
RKKY interaction 163, 351

s-wave superconductor 166
Semiconductor-like 256
Semimetals 373
Slave boson 631
Specific heat 1, 15, 56, 126, 135, 208, 228, 295, 299, 322, 325, 351, 471
Spectral evolution 496
Spectral properties 611
Spin density wave 36
Spin dynamics 189, 231, 271
Spin fluctuations 79, 135, 149, 163, 251, 265, 478, 598, 608, 637
Spin glass 131, 198
Spin reorientation 116
Spin-lattice relaxation 1, 53, 79, 90, 112, 166, 344, 594
Spin–orbit excitations 231
Spin-Peierls transition 535
Strong correlation 628
Structural instability 218, 522, 554
Structural properties 237
Superconducting gap 47, 62, 548
Superconducting phase diagram 15, 172
Superconductivity 62, 69, 72, 76, 90, 96, 105, 112, 116, 119, 123, 126, 154, 166, 169, 392, 516, 551, 554

t–J model 611, 628
Thermal conductivity 47
Thermal expansion 15, 571
Thermopower 83, 93, 228, 268, 303, 580, 588
Transition metal oxides 496
Transport properties 83
Transuranium dilution 211
Tunneling 444, 634
Two component magnetic response 86
Two-channel Kondo lattice 453

Ultrasonic attenuation 185, 554
Ultrasound measurements 36
Unconventional superconductivity 33
Upper critical field 96, 102

Valence transition 262, 366
Vibrating reed studies 22
Vortex dynamics 22

X-ray diffraction 93, 218
X-ray edge singularity 616

Materials Index

$(Ba_{0.6}K_{0.4})BiO_3$ 22
$Bi_2Sr_2CaCu_2O_8$ 478
$Bi_2Sr_2CaCu_2O_{8+x}$ 577
$Bi_{2.1}Sr_{1.7}Ca_{1.2}Cu_{1.9}Fe_{0.1}O_{8+y}$ 584
$Bi_2Sr_2(Ca_z, Pr_{1-z})Cu_2O_{8+y}$ 519
$(Bi_{0.92}Pb_{0.17})_2Sr_{1.91}Ca_{2.03}Cu_{3.06}O_{10+\delta}$ 544
$Bi_{1.8}Pb_{0.3}Sr_{1.7}Ca_{1.2}Cu_{1.9}Fe_{0.1}O_{8+y}$ 584

$CeAl_3$ 160
CeAs 426
CeAuAl 283
CeBi 426
$Ce_3Bi_4Pt_3$ 402, 409
$CeCo_2$ 28
$CeCu_2$ 344
$CeCu_{6-x}Au_x$ 329, 471
$CeCu_2Ge_2$ 1
Ce_2Cu_2In 316
$Ce(Cu_{1-x}Ni_x)_2Ge_2$ 1
$CeCu_{6-x}Ni_x$ 325
$CeCu_{6-x}Pd_x$ 325
$Ce(Cu_{1-x}Pd_x)_2Si_2$ 299
$CeCu_{6-x}Pt_x$ 325
$CeCuSb_2$ 289
$CeCu_2Si_2$ 1
$CeCu_2(Si_{1-x}Ge_x)_2$ 295
$CeGe_{2-x}Ga_x$ 359
$CeIr_2B_2$ 313
$CeIr_2B_2C$ 316
$CeIr_2Ge_2$ 316
$Ce_{1-x}La_xFeGe_3$ 310
$Ce_{0.02}La_{0.98}P$ 333
$Ce_{1-x}La_xRu_2Si_2$ 135
$Ce_xNd_{1-x}Cu_6$ 292
$CeNi_2B_2C$ 66, 123
$Ce_5Ni_6In_{11}$ 131
$CeNiSb_2$ 289
$CeNiSi_2$ 336
CeNiSn 135, 402, 409, 413, 429
$CeNi_{1-x}Co_xSn$ 262, 432
CeP 426
$CePd_2Al_3$ 354
$CePd_2(Al_{1-x}Ga_x)_3$ 351
CePdAs 340
$CePd_3B_x$ 268
$CePd_2Ge_2$ 307
Ce_2Pd_2In 316
CePdSb 271, 340
$CePd_2Si_2$ 50, 303
$CePt_4B$ 347
$Ce_3Pt_3(Bi,Sb)_4$ 421
CePtGa 279
$CePtGe_2$ 131
$CePtSi_2$ 336
$Ce(Pt_{1-x}Ni_x)Sn$ 275
CeRhAs 421
CeRhBi 421
CeRhSb 413, 441, 444
$CeRh_2Sb_2$ 286
$CeRh_2Si_2$ 126, 160
$CeRu_2$ 22, 28, 141, 166, 169, 172
$Ce_{4-x}Ru_4Ge_{12+x}$ 131
$Ce(Ru_{0.96}Pd_{0.04})_2Si_2$ 319
$CeRu_2Si_2$ 135, 141
$CeRu_2Si_{2-x}Ge_x$ 163
$CeRu_2(Si_{1-x}Ge_x)_2$ 322
CeSb 426
Ce_2Sn_5 131
$Ce_{0.01}U_{0.99}$ 265
Co–Zn 260
$CuGeO_3$ 535

$DyBa_2Cu_3O_{7-\delta}$ 571
$DyNi_2B_2C$ 56, 62, 66, 99
$Dy_{0.73}Tb_{0.27}Fe_{2-x}Co_x$ 399

$ErNi_2B_2C$ 56, 66, 102, 123
$ErNi_{2-x}Co_xB_2C$ 72
$ErNi_{2-x}Pd_xB_2C$ 72
$ErNi_{2-x}Pt_xB_2C$ 72
Eu_2CuO_4 522

FeSi 260, 409

$GaMo_4Se_4Te_4$ 588
Ga_xNbS_2 591
GaV_4S_8 588
$GdGa_2$ 379
$Gd_{0.2}La_{0.8}Cu_2Si_2$ 149
$(Gd_{1.85-x}Pr_xCe_{0.15})CuO_4$ 551
$Gd_{1-x}Y_xNi$ 382
$Gd_{1-x}Y_xNi_2Si_2$ 149
$Gd_{0.4}Y_{0.6}Ni_2Si_2$ 149

$HgBa_2Ca_2Cu_3O_8$ 478
$HgBa_2Ca_3Cu_4O_{10+\delta}$ 512
$Hg_{0.7}Cr_{0.3}Sr_2CuO_{4+\delta}$ 580
$HoNi_2B_2C$ 22, 56, 66, 83, 102, 123
$HoSr_2Cu_{2.85}Re_{0.15}O_z$ 574
$Ho_{1-x}Y_xNi_2B_2C$ 119

LaAuAl 283
$LaCuSb_2$ 289
$La_{2-x}Nd_xRh_3Si_5$ 392
$LaNiSb_2$ 289
$LaPt_{1.5}Au_{0.6}B_2C$ 90
$LaRh_2Sb_2$ 286
$La_{2-x}Sr_xCuO_4$ 478, 501, 554
$La_xSr_{1-x}TiO_3$ 496
$La_{1-x}U_xPd_3$ 447
$LuNi_2B_2C$ 69, 79, 123

β-Mn 594

NdAuAl 283
$NdBa_2Cu_3O_{7-\delta}$ 565
$NdPd_2Al_3$ 354
$NdRh_2Sb_2$ 286

$PrBa_2Cu_3O_{7-\delta}$ 571
$Pr_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ 562
$PrBa_2Fe_3O_8$ 558
$Pr_{1-x}Ca_xMnO_3$ 532
$PrCu_2$ 141, 389
$Pr_{0.2}La_{0.8}Cu_2Ge_2$ 313
$Pr_{0.2}La_{0.8}Cu_2Si_2$ 313
$Pr_{0.2}La_{0.8}Ni_2Si_2$ 313
$PrPd_2Al_3$ 354
$PrRh_2Sb_2$ 286
$Pr_{1-x}U_xPd_3$ 447
$Pr_{0.2}Y_{0.8}Cu_2Ge_2$ 313
$Pr_{0.2}Y_{0.8}Cu_2Si_2$ 313
$Pr_{0.2}Y_{0.8}Ni_2Si_2$ 313

$RuAl_2$ 260

$Sc_{5-x}Dy_xIr_4Si_{10}$ 154
$Sc_{1-x}U_xPd_3$ 447
$Sc_{0.8}U_{0.2}Pd_3B_x$ 215
SmB_6 256, 402, 409
$SmPd_2Al_3$ 354
Sr_2RuO_4 490, 516, 529
$SrTiO_3$ 496

$TbNi_2B_2C$ 116, 123
$Th_{1-x}U_xPd_3$ 447
$Tl_2Ba_2Ca_2Cu_3O_{10}$ 478, 484
$Tl_2Ba_2CuO_6$ 478
$Tl_2Ba_2CuO_{6+\delta}$ 484
$TlSr_2CaCu_2O_7$ 478
$TmNi_2B_2C$ 56, 69, 83, 102
TmTe 385

UBe_{13} 453
$U(Co_{1-x}Cu_x)_2Ge_2$ 234
$U(Co_{1-x}Cu_x)_2Si_2$ 234
$U(Co_{1-y}Ni_y)_2Ge_2$ 234
$U(Co_{1-y}Ni_y)_2Si_2$ 234
UCu_5 53
UCu_2Ge_2 198, 201
UCu_2Si_2 198
$U_3Cu_3Sn_4$ 231
$(U,Gd)Pt_3$ 44
$(U_{0.95}La_{0.05})Ru_2Si_2$ 189
UNi_2Al_3 1, 28
UNi_4B 237
$U(Ni_{1-z}Cu_z)_2Ge_2$ 234
$U(Ni_{1-z}Cu_z)_2Si_2$ 234
UNiGa 245
UNiGe 245
$U_3Ni_3Sb_4$ 231
UPd_3 175
UPd_2Al_3 1, 28
$U_{1-x}Np_xPd_2Al_3$ 211
U_2Pd_2In 225
UPd_2Ga_3 204, 208
UPt_3 15, 33, 36, 47, 141, 175, 181, 185
UPt_2In 228
$U(Pt,Ni)_3$ 44
$U(Pt,Pd)_3$ 15
$U(Pt_{0.98}Pd_{0.02})_3$ 178
URu_2Si_2 9, 241
$U_{1-x}Np_xRu_2Si_2$ 211
$URu_{2-x}Re_xSi_2$ 192
$U_xTh_{1-x}Be_{13}$ 464
$U_{0.9}Th_{0.1}Be_{13}$ 475
$U_{1-x}Th_xNiSn$ 218
$U_{1-x}Th_xPd_2Al_3$ 467
$(U_xTh_{1-x})_2Pt_2In$ 222
$U_{0.2}Y_{0.8}Pd_3$ 467
$(U_{1-x}Y_x)Ru_2Si_2$ 195
$(U_{0.5}Y_{0.5})Ru_2Si_2$ 189

$YBa_2Cu_3O_{6.6}$ 478
$YBa_2Cu_3O_7$ 478
$YBa_2Cu_3O_{7-x}$ 501
$YBa_2Cu_4O_8$ 478
YBiPt 396
$Y_{0.8}Ca_{0.1}Ce_{0.1}Ba_2Cu_4O_8$ 568
$Y_{1-x}Ca_xTiO_3$ 526
$Y_{5-x}Dy_xOs_4Ge_{10}$ 154
$Y_{0.98}Er_{0.02}Ni_2B_2C$ 90
YNi_2B_2C 66, 76, 79, 83, 86, 93, 96, 102, 105, 109, 123
$Y(Ni_{1-x}Co_x)_2B_2C$ 112
$YPd_5B_3C_{0.3}$ 96
$YSr_2Cu_{2.85}Re_{0.15}O_z$ 574
$YSr_2Cu_{2.80}W_{0.20}O_z$ 574
$Y_{1-x}U_xPd_3$ 447
Yb_4As_3 373
YbB_{12} 402
$YbIn_{1-x}Ag_xCu_4$ 366
$Yb_{0.5}In_{0.5}Cu_2$ 376
Yb_2Ni_2Al 370
$YbNi_2B_2C$ 56, 99

$Zr_{1-x}U_xPd_3$ 447